	Application No.	Applicant(s)
	10/537,961	KUIVIKKO ET AL.
Notice of Allowability	Examiner	Art Unit
	l	
	David A. Redding	1744 .
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>interview of 9/27/06</u> .		
2. The allowed claim(s) is/are <u>15-37, renumbered 1-23, respectively</u> .		
<ul> <li>3.</li></ul>		
<ol> <li>Certified copies of the priority documents have been received.</li> </ol>		
2. Certified copies of the priority documents have been received in Application No		
3.  Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF		
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	_	
1. Notice of References Cited (PTO-892)	5. Notice of Informal Pa	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	<ol> <li>Interview Summary ( Paper No./Mail Date</li> </ol>	te <u>9/27/06</u> .
<ol> <li>Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 9/11/06</li> </ol>	7. X Examiner's Amendm	
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	8.   Examiner's Stateme	ent of Reasons for Allowance
0. 2.5.53,52	9.  Other	

Application/Control Number: 10/537,961

Art Unit: 1744

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Franklin on 9/28/06.

The application has been amended as follows:

- a) Claim 15, line 3, after "disc" insert - having a top surface, a bottom surface, and an edge -; line 8, after "edge" insert - , top surface and bottom surface -.
  - b) Claim 19, line 2, after "into" delete "the".
- c) Claim 20, line 6, after "that" insert - is -; line 7, after "length" delete "of the"; line 7, delete "intermediate" and replace with - intermediary of a mating surface arrangement -.

The following is an examiner's statement of reasons for allowance: the prior art of record fails to teach or suggest a side brush having a base and a coupling system as defined in claim 1 in combination with a plurality of bristle segments each having a frame member detachably mountable on the base. The French patent 2614188 does not teach or suggest a base comprising elongated channels as claimed.

Application/Control Number: 10/537,961 Page 3

Art Unit: 1744

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David A. Redding whose telephone number is 571-272-1276. The examiner can normally be reached on Mon.-Fri. 6:00 - 3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gladys Corcoran-Piazza can be reached on 571-272-1224. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

Application/Control Number: 10/537,961 Page 4

Art Unit: 1744

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

David A Redding Primary Examiner Art Unit 1744

DAR